Carbohydrate Research, 215 (1991) c5–c6
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Ammeraal, R. N., 179
An, J., 25
Atkinson, P. H., 211

Bell-Farrow, A., 117
Brade, H. 323
Brown, B. J., 147

Cefalu, W. T., 117
Cheetham, N. W. H., 59
Chow, M. C., 147
Chowdhury, T. A., 303
Claessens, A. J., 251

Delgado, G. A., 179
De Ruiter, G. A., 47
Dill, K., 351
Doner, L. W., 81

Et-Atawy, Y. S., 91
El Rassi, Z., 25

Fishman, M. L., 91
Friedman, R. B., 179
Fukuda, M., 67

Gillespie, D. T., 91
Gustafsson, B., 303

Hämäläinen, M. M., 357
Hansawek, N., 59
Hashimoto, H., 127
Hemminga, M. A., 229
Heyraud, A., 105
Hicks, K. B., vii, 81
Holme, T., 303
Holst, O., 323, 337
Honda, S., 193
Hotchkiss, Jr., A., 81
Huang, L., 351

Irwin, P. L., 81

Jansen, A. C. A., 251
Janssen, L. H. M., 251
Jansson, P.-E., 303
Jiménez-Barbero, J., 239
Johnson, D. C., 159

Kakehi, K., 193
Kato, N., 127
Klessinger, M., 345
Kobayashi, S., 203
Koizumi, K., 67, 127

LaCource, W. R., 159
Lattová, E., 199
Lauterwein, J., 345
Leonard, C., 105
Lieker, H.-P., 1
Lindberg, B., 303
Lindberg, J., 303
Lönnberg, H., 357
Louie, A., 315

Maness, N. O., 219
Meyer, B., 261, 279
Moerschbacher, B. M., 219
Mort, A. J., 25, 219

Nakanishi, N., 127
Niemann, C., 15
Nose, A., 193
Notermans, S. H. W., 47
Nuck, R., 15

Okada, Y., 67, 127
Olieman, C., 39
Oxley, D., 293

Pakulski, Z., 337
Paskach, T. J., 1
Petruš, L., 199
Petrušová, M., 199
Pfannemüller, B., 15
Pierce, M. L., 219
Potier, M., 315
Preston III, J. F., 137, 147
Prytulla, S., 345

Ralapati, S., 117
Reilly, P. J., 1
Ribeiro, A., 315
Rice, J. D., 137, 147
Rivera-Sagredo, A., 239
Rombouts, F. M., 47
Roozen, M. J. G. W., 229

Saecou, P., 59
Saenger, W., 15
Shiota, M., 203
Sondey, S. M., 91
Suzuki, S., 193

Takagi, Y., 127
Tanimoto, T., 127
Tedford, D., 25
Tenbarge, F. L., 179
Thielecke, K., 1
Thiem, J., 345
Townsend, R. R., 211
Trimble, R. B., 211

Van Boom, H., c1
Van Drooge, M. J., 251
Van der Laan, S. C., c1
Van der Lugt, A. W., 47
Van der Marel, G. A., c1
Van Helden, S. P., 251
Van Riel, J., 39
Voragen, A. G. J., 47

Walstra, P., 229
Wang, Z. Q., 117
Warner, T. G., 315
Wilkinson, S. G., 293

Yamamoto, K., 193

Zähringer, U., 323, 337
Zamojski, A., 323, 337
Zsiška, M., 261, 279
Zuurmond, H. M., c1

Carbohydrate Research, 215 (1991) c7–c9
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

N-Acetylneuraminic acid and analogues, configurational assignment *via* the vicinal C,H coupling constants, 345

N-Acetylneuraminic acid, unsaturated derivatives, inhibition kinetics of mammalian sialidases with, 315

Acidic glycan present in the lipopolysaccharide extract from the reference strain for *Serratia marcescens* serogroup O18, structure of an, 293

1,6-Anhydrolactose and its hexa-acetate, conformation in solution, 239

Anion-exchange chromatographic determination of saccharides in dairy products using pulsed amperometric detection, selectivity control in the, 39

Anion-exchange chromatography, high performance, of sugars and sugar alcohols on quaternary ammonium resins under alkaline conditions, 1

Anion-exchange chromatography, high-performance, with pulsed amperometric detection, of linear and branched glucose oligosaccharides, 179

Anion-exchange chromatography, high-pH; separation of high-mannose isomers from yeast and mammalian sources using, 211

Capillary zone electrophoresis of reducing mono- and di-saccharides as the borate complexes of their 3-methyl-1-phenyl-2-pyrazolin-5-one derivatives, 193

Carbon column, a graphitized, high-performance liquid chromatography of mono- and oligosaccharides on, 67

Cation-exchange resin in the lanthanum form, chromatography of 1-deoxy-1-nitroalditols on a, 199

Chair-to-chair interconversion of *cis*-inositol, rate constants and activation energy for, determination by n.m.r. spectroscopy, 351

Chromatography of 1-deoxy-1-nitroalditols on a cation-exchange resin in the lanthanum form, 199

Chromatography, high-performance anion-exchange, of sugars and sugar alcohols on quaternary ammonium resins under alkaline conditions, 1

Chromatography, high-performance anion-exchange with pulsed amperometric detection, of linear and branched glucose oligosaccharides, 179

Chromatography, high-performance liquid, of mono- and oligo-saccharides on a graphitized carbon column, 67

Chromatography, reserved-phase ion-pair liquid, kinetic comparisons of trimer-generating pectate and alginate lyases by, 147

Complexing of sugars and sugar alcohols with metal ions: a comparative study by ion-exchange chromatography, 357

Configurational assignment of *N*-acetylneuraminic acid and analogues *via* the vicinal C,H coupling constants, 345

Conformation of 1,6-anhydrolactose and its hexa-acetate in solution, 239

β-Cyclodextrin (cyclomaltoheptaose, βCD) having degree of polymerization (d.p.) = 9, characterization of five isomers of branched, a reinvestigation of three positional isomers of diglycosyl-β-CD, 127

Cyclomaltoheptaose (βCD) having degree of polymerization (d.p.) = 9, characterization of five isomers of branched, a reinvestigation of three positional isomers of diglycosyl-β-CD, 127

Cyclomaltohexaose (α-cyclodextrin) in complexes with guest molecules, a molecular modelling study of the distortion of, 251

Dairy products, selectivity control in the anion-exchange chromatographic determination of saccharides in, using pulsed amperometric detectionm, 39

1-Deoxy-1-nitroalditols, chromatography on a cation-exchange resin in the lanthanum form, 199

Disaccharide unit of the lipopolysaccharide of *Escherichia coli* K-12, synthesis of a heptose-containing, 337

Disaccharides of D-glucose, α-linked, analyses of, by high-performance liquid chromatography, 203

Disaccharides with (1→4)-β glycosidic linkages related to the 4- and 6-sulfates and the 4,6-disulfates of chondroitin, syntheses of, 261

Disaccharides with 4- and 6-sulfate and 4,6-disulfate groups, synthesis of β-D-GlcA-(1→3)-β-D-Gal, 279

Distortion of α-cyclodextrin (cyclomaltohexaose) in complexes with guest molecules, a molecular modelling study of the, 251

E.s.r. spectroscopy, molecular motion in glassy water–malto-oligosaccharide mixtures as studied by conventional and saturation-transfer spin-probe, 229
Electrophoresis, capillary zone, of reducing mono- and di-saccharides as the borate complexes of their 3-methyl-1-phenyl-2-pyrazolin-5-one derivatives, 193
ELISA detection and high-performance size-exclusion chromatography of extracellular polysaccharides from Mucorales, 47
Extracellular polysaccharides from Mucorales, high-performance size-exclusion chromatography and ELISA detection of, 47

Furosine, determination of, in biomedical samples employing an improved hydrolysis and high-performance liquid chromatographic technique, 117

Glycogens, an h.p.l.c. method for determining chain-length distribution in some, 59
Glycosylation of alkyl (aryl) 1-thioglycosides, regulation of stereoselectivity and reactivity in the iodonium ion-assisted, C1

Heptopyranosyl-D-glucopyranose, synthesis and characterisation of 6-*O*-L-*glycero*-α-D-*manno*-, 337
Heptose/hexose region of the lipopolysaccharide from *Escherichia coli* K-12 strain W3100, structural analysis of the, 323
High-mannose isomers from yeast and mammalian sources, speraration of, using high-pH anion-exchange chromatography, 211
High-performance anion-exchange chromatography, with pulsed amperometric detection, of linear and branched glucose oligosaccharides, 179
High-performance liquid chromatography, analyses of α-linked disaccharides of D-glucose by, 203
High-performance liquid chromatography, kinetic analysis of pectate lyases by, 137
High-performance reversed-phase chromatographic mapping of 2-pyridylamino derivatives of xyloglucan oligosaccharides, 15
High-performance size-exclusion chromatography and ELISA detection of extracellular polysaccharides from Mucorales, 47
H.p.l.c. method for determining chain-length distribution in some H glycogens, an, 59
H.p.l.c. of 4-nitrophenyl-α-malto-oligosaccharides, 15
H.p.l.c., preparative, isolation of oligogalacturonic acids in gram quantities by, 81
H.p.l.c., reversed-phase ion-pair, analysis of oligouronates by; role of the mobile phase, 105

cis-Inositol, rate constants and activation energy for the chair-to-chair interconversion of, determination by n.m.r. spectroscopy, 351
Iodonium ion-assisted glycosylation of alkyl 1-thioglycosides, regulation of stereoselectivity and reactivity, C1
Ion-pair reversed-phase h.p.l.c., analysis of oligouronates by; role of the mobile phase, 105

Kinetic analyse of pectate lyases by high-performance liquid chromatography, 137

Lactose, conformation in solution of 1,6-anhydro-, and its hexa-acetate, 239
Lipopolysaccharide from *Escherichia coli* K12 strain W3100, structural analysis of the heptose/hexose region of the, 323
Liquid chromatography, high-performance, analyses of α-linked disaccharides of D-glucose by, 203
Lyases, trimer-generating pectate and alginate, kinetic comparisons of, by reversed-phase ion-pair liquid chromatography, 147

α-Malto-oligosaccharides, 4-nitrophenyl-, h.p.l.c. of, 15
Mammalian sialidases, inhibition kinetics with unsaturated derivatives of *N*-acetylneuraminic acid, 315
Metal ions, a comparative study by ion-exchange chromatography of the complexing of sugars and sugar alcohols with, 357
Molecular modelling study of the distortion of α-cyclodextrin (cyclomaltohexaose) in complexes with guest molecules, 251
Molecular motion in glassy water–malto-oligosaccharide mixtures as studied by conventional and saturation-transfer spin-probe e.s.r. spectroscopy, 229
Molecular weight and intrinsic viscosity of pectin components, 91

N.m.r. spectroscopic assigment of the configuration of *N*-acetylneuraminic acid and analogues, 345

Oligogalacturonic acids, isolation of, in gram quantities by preparative h.p.l.c., 81
Oligosaccharides, linear and branched glucose, high-performance anion-exchange chromatography with pulsed amperometric detection, of, 179
Oligouronates, analysis of, by reversed-phase ion-pair h.p.l.c.: Role of the mobile phase, 105

Pectate lyases by high-performance liquid chromatography, kinetic analysis of, 137
Pectic fragments, problems encountered during

the extraction, purification, and chromatography of, and some solutions to them, 219
Pectin components, intrinsic viscosity and molecular weight of, 91
Polysaccharide from *Vibrio cholerae:* O:3, structural studies of the O-antigen, 303
Polysaccharides, extracellular, from Mucorales, high-performance size-exclusion chromatography and ELISA detection of, 47
Preparative h.p.l.c., isolation of oligogalacturonic acids in gram quantities by, 81
Pulsed amperometric detection (p.a.d.) of carbohydrates following separation by liquid chromatography, optimization of waveforms for, 159
Pulsed amperometric detection, selectivity control in the anion-exchange chromatographic determination of saccharides in dairy products, using, 39
2-Pyridylamino derivatives of xyloglucan oligosaccharides, high-performance reversed-phase chromatographic mapping of, 15

Reversed-phase ion-pair h.p.l.c., analysis of oligouronates by; role of the mobile phase, 105
Reversed-phase ion-pair liquid chromatography, kinetic comparisons of trimer-generated pectate and alginate lyases by, 147

Saccharides in dairy products, selectivity control in the anion-exchange chromatographic determination of, using pulsed amperometric detection, 39
Serratia marcescens serogroup O18, structure of an acidic glycan present in the lipopolysaccharide extract from the reference strain for, 293
Sialidases, mammalian, inhibition kinetics with novel derivatives of unsaturated *N*-acetylneuraminic acid of, 315
Structural analysis of the heptose/hexose region of the lipopolysaccharide from *Escherichia coli* K-12 strain W3100, 323
Structural studies of the *Vibrio cholerae* O:3 O-antigen polysaccharide, 303
Structure of an acidic glycan present in the lipopolysacharide extract from the reference strain for *Serratia marcescens* serogroup O18, 293
Sugars and sugar alcohols, a comparative study by ion-exchange chromatography of complexing with metal ions, 357
Sulfates, 4- and 6-, and the 4,6-disulfates of chondroitin, syntheses of disaccharides with (1→4)-*β* glycosidic linkages related to the, 261
Syntheses of disaccharides with (1→4)-*β* glycosidic linkages related to the 4- and 6-sulfates and the 4,6-disulfates of chondroitin, 261
Synthesis and characterisation of 6-*O*-L-*glycero*-α-D-*manno*-heptopyranosyl-D-glucopyranose, 337
Synthesis of *β*-D-GlcA-(1→3)-*β*-D-Gal disaccharides with 4- and 6-sulfate and 4,6-disulfate groups, 279

1-Thioglycosides, regulation of stereoselectivity and reactivity in the iodonium ion assisted glycosylation of alkyl (aryl), c1

Vibrio cholerae O:3, structural studies of the O-antigen polysaccharide, 303
Viscosity, intrinsic, and molecular weight of pectin components, 91
Water–malto-oligosaccharide mixtures, molecular motion in glassy, as studied by conventional and saturation-transfer spin-probe e.s.r. spectroscopy, 229